

QTY -041	P/N	DESCRIPTION
X	D3811-041	SEAT TRACK ASSEMBLY
1	D3811-1	SEAT TRACK
4	D3811-3	BUSHING
2	MS21042L3	NUT
2	MS27039-1-15	SCREW


MS27039-1-15 SCREW (1)  
MS21042L3 NUT (1)  
D3811-3 BUSHING (2)  
2 PL

RELEASED  
08-09-30/11

D3811-041 SEAT TRACK ASSEMBLY

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: N/A
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART ASSEMBLY P/N D3811-041 & B/N USING FINE POINT PERMANENT INK MARKER
  - 7) WEIGHT: 0.76 lbs
  - 8) TORQUE FASTENERS TO 20-25 in-lbs

A	NEW ISSUE	RF	08.08.18
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3811	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		SEAT TRACK ASSEMBLY	NTS
DATE	08.08.18	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	






# **D3811-1 SEAT TRACK**

## **NOTES:**

- 1) MATERIAL: 6061-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR PER AMS-QQ-A-200/8 (OR AMS 4160) OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) (REF. DART SPEC. M6061T6B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE ARROW & FWD AS SHOWN USING 0.25 HIGH LETTERS TO MAX DEPTH OF 0.005
- 7) WEIGHT: 0.724 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3811	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		SEAT TRACK ASSEMBLY	NTS
DATE	08.08.18	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

**RELEASED**  
06.09.30



**D3811-3 BUSHING**

**RELEASED**  
08-09-30-11

**NOTES:**

- 1) MATERIAL: 6061-T6 (OR T651/T6510/T6511/T62) ALUMINUM ROUND BAR PER AMS-QQ-A-200/8 (OR AMS 4160) OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) (DART REF. SPEC. M6061T6R)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.003 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		<b>D3811</b>	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		<b>SEAT TRACK ASSEMBLY</b>	NTS
DATE	<b>08.08.18</b>	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	